



**BOSCH**

Invented for life

## Bosch Greentherm

### 9000 Series

This condensing high-efficiency gas tankless water heater is the first of its kind. It delivers endless hot water on demand, along with a user-friendly high resolution color interface, easy installation, and best of all, peace of mind.



# Continuous Hot Water Invisible Comfort

The Greentherm 9000 Series brings homeowners more than endless hot water. It saves time, money, space and unnecessary stress.

## Meet the Greentherm 9000 Series

From its gorgeous exterior to the sophisticated technology on the inside, the Greentherm 9000 water heater was designed to impress. It can deliver endless hot water and dazzle you with features never seen on a water heater before.

### Features

- ▶ Space-saving, state-of-the-art tankless design
- ▶ Ultra efficient with UEF ratings up to 0.96
- ▶ High resolution color LCD interface
- ▶ Wi-Fi accessory & App increases functionality
- ▶ Ability to control external pumps
- ▶ Industry leading 22:1 turn down ratio
- ▶ 60ft venting using 2" pipe
- ▶ Ultra Low NOx Certified
- ▶ Integrated freeze protection
- ▶ Stainless Steel condensing heat exchanger
- ▶ Dedicated outdoor unit eliminates the cost of a vent kit



### Professional Benefits

- ▶ Top water connections for easy tank replacement
- ▶ Included LP conversion kit
- ▶ Auto-tuning for optimal performance
- ▶ Integrated flush ports and included PRV



Greentherm T9800 SE outdoor


Greentherm T9800/9900 SE Indoor

Greentherm T9900i SE indoor

# Built To Make Things Easy

## Designed For Comfort Inside & Out

With top water connections, a built-in recirculation pump, WiFi, auto-tuning, and a sleek design, the Greentherm 9000 Series is designed for ultimate ease.



Greentherm 9000 Series							
Technical Specifications	T9900i SE 199	T9900 SE 199	T9900 SE 160	T9800 SE 199	T9800 SE 160	T9800 SEO 199	T9800 SEO 160
Part Number	7736503732	7736503731	7736503730	7736503581	7736503725	7736503727	7736503726
NG Min-Max Input (kBTU)	9-199	9-199	9-160	9-199	9-160	9-199	9-160
Uniform Energy Factor	0.96	0.96	0.92	0.96	0.92	0.96	0.92
Dimension (W x H x D)	18 9/16" x 31 1/2" x 9 13/16"						
Temperature Range	100-140 °F						
Temperature Stability	+/-2 °F						
Activation Water Flow Rate	0.45GPM						
Required NG Pressure	3.5" - 10.5"						
Required LPG Pressure	8" - 13"						
Recirculation Pump	✓	✓	✓	-	-	-	-
Electrical Requirements	120 VAC 60Hz						
Noise Level	<57 dB						
Max Flue Length	Twin pipe	2": 60ft + 60ft; 3": 280ft + 280ft					
	Concentric pipe	2"/4": 60ft; 3"/5": 280ft					

### Wi-Fi Connection

The Greentherm 9000 app allows you to remotely control the water temp, activate the recirculation pump, and monitor usage and sensor values.



(2) WiFi connectivity can be built-in or optional. (3) Integrated pump only on T9900 models (4) Glass cover only on T9900i model

# About **Bosch**

## **Bosch Group**

The Bosch Group is a leading global supplier of technology and services in the areas of Automotive, Industrial Technology, Consumer Goods and Building Technology. The company was founded in Stuttgart, Germany, in 1886 and presently has more than 440 subsidiaries and is represented in over 150 countries.

In the U.S., Canada and Mexico, the Bosch Group manufactures and markets automotive original equipment and aftermarket solutions, industrial drives and control technology, power tools, security and communication systems, packaging technology, thermotechnology, household appliances and software solutions. The Bosch Group's products and services are designed to improving quality of life by providing innovative and beneficial solutions. In this way, the company offers technology worldwide that is "Invented for life." Additional information is available online at [boschheatingandcooling.com](http://boschheatingandcooling.com) and [bosch.ca](http://bosch.ca).

## **Bosch Thermotechnology in North America**

Bosch Thermotechnology is a leading source of high quality water heating and comfort systems. The company offers gas tankless, electric whole house and point-of-use water heaters, Bosch and Buderus floor-standing and wall mounted boilers, Bosch and FHP geothermal, water-source and air-source systems as well as controls and accessories for all product lines. Bosch Thermotechnology is committed to being Simply Smart by offering products that work together as integrated systems that enhance quality of life in an ultra-efficient and environmentally friendly manner. For more information, visit [boschheatingandcooling.com](http://boschheatingandcooling.com).

## **Bosch Water-Source Heat Pumps: Made in the U.S.A.**

Bosch and FHP water-source and geothermal heat pumps are made by highly trained and skilled workers in our factory based in Fort Lauderdale, Florida. They are manufactured with rigorous standards and factory testing ensuring high efficient operation over the life of the unit. Bosch's ISO 9001 and ISO 14001 certified facilities provide consistent quality in every unit built.



Heating



Cooling



Hot Water



Controls

### **Bosch Thermotechnology Corp.**

Watertown, MA • Londonderry, NH • Ft. Lauderdale, FL  
General Inquiries: 1-866-642-3198

Copyright © 2018 Bosch Thermotechnology Corp.  
All rights reserved. Subject to change without notice.