

Carrier

United Technologies

turn to the experts



System Touch

User Guide





Verify that you have the most current version of this document from www.hvacpartners.com or your local Carrier office.

Important changes are listed in **Document revision history** at the end of this document.

CARRIER CORPORATION ©2016. All rights reserved throughout the world. i-Vu is a registered trademark of Carrier Corporation. BACnet is a registered trademark of ASHRAE. All other trademarks are the property of their respective owners.



United Technologies
turn to the experts

Contents


What is the System Touch?	1
System Touch screens	2
Viewing alarms	7
Viewing or creating schedules	8
To view schedules.....	8
To create a schedule for a group of equipment.....	9
To edit touchscreen settings	12
Document revision history	14



United Technologies
turn to the experts

What is the System Touch?

The System Touch is a touchscreen device with a 4.3 in. color LCD display that lets you schedule when equipment should run, view alarms, or link to screens for individual controllers on the network.




System Touch screens

The System Touch will display the system screens shown below and any custom-designed screens.

NOTE To use custom screens, the System Touch must have v2.00-015 or later firmware. Go to **Touchscreen Setup > About** to see the firmware version number.

Screen name	Description
Standby	If included in the touchscreen file, this custom screen displays when the System Touch has had no user activity for the time specified on the Inactivity Timeout screen. This Standby screen is not interactive, and as soon as the user touches the screen, the Home screen displays. If the touchscreen file does not include a Standby screen, the Home screen displays after a period of inactivity. NOTE You can show a device's Home and Standby screens instead of the System Touch's Home and Standby screens. See instructions for Home Screen Setup in <i>To edit touchscreen settings</i> (page 12).
Home	A custom screen for the System Touch.





The Home screen that shows each controller in the system (labeled **Office**, **Conference Room**, and **Lobby** in the above example), and for Carrier controllers, shows the zone temperature and zone color. You can touch the button for a controller to go to its Equipment Touch screens. See the controller's *Installation Guide* for a description of those screens.


From this System View screen, you can touch:


- **Alarms** to view, acknowledge or delete alarms
- **Schedules** to view, create, or delete schedules
- **Setup** to edit the system or edit touchscreen settings (requires administrator-level password)

The System View screen displays when the System Touch has had no user activity for a period of time specified on the **Touchscreen Setup > Inactivity Timeout** screen (page 12).

Screen name	Description
Login	 <p>Displays if you select a screen that requires an administrator-level password. If you have an administrator-level password, enter it, then touch Done.</p>
NOTES	<ul style="list-style-type: none"> If you try to go to a screen for a particular controller and you are prompted to log in, the controller's screen requires a different password. You log out on the Setup screen. You can change the Admin password on the <i>Touchscreen Setup > Passwords</i> screen (page 12).
Alarm Manager	 <p>Lets you view all alarms in the system. See <i>Viewing alarms</i> (page 7).</p>
Alarm Detail	 <p>Shows details of a single alarm. See <i>Viewing alarms</i> (page 7).</p>

Screen name	Description
Schedule Groups	 <p>Lets you create groups of controllers so that you can set up a common operating schedule for each group. From this screen, you can also edit or delete existing schedule groups. See <i>Setting up schedules</i> (page 8).</p>

Screen name	Description
Create Schedule Group	 <p>Lets you create a group and assign equipment to it. See <i>Setting up schedules</i> (page 8).</p>

Schedules	Description
 <p>Lets you view, add, edit, or delete BACnet schedules in the controller. See <i>Setting up schedules</i> (page 8).</p>	


Screen name	Description
Setup	 <p>Touch a button to go to the Communications, Discovery, Viewfile, or Touchscreen Setup screen, or to log out.</p>
Communications	 <p>Lets the installer define network communications for the System Touch. See "Setting up the system" in the <i>System Touch Installation and Setup Guide</i>.</p>
Discovery	 <p>Lets the installer discover controllers on the network to create the system database. See "Setting up the system" in the <i>System Touch Installation and Setup Guide</i>.</p>

Screen name	Description
Set Range	 <p>Set Range</p> <p>High Address Limit 99</p> <p>Low Address Limit 1</p> <p>Save Cancel</p>

Lets the installer set a range (0–255) of MAC addresses to be discovered. See "Setting up the system" in the *System Touch Installation and Setup Guide*.

Discovery after discovering controllers	 <p>Discovery</p> <p>5 Lobby</p> <p>8 Conference Room</p> <p>71 Office</p> <p>Clear DB Set Range Select All</p> <p>Discover Create DB Deselect All</p>
---	---

Lets the installer create the system. See "Setting up the system" in the *System Touch Installation and Setup Guide*.

Touchscreen Setup	 <p>Touchscreen Setup</p> <p>Home Screen Setup</p> <table border="1"> <tr> <td>About</td> <td>Inactivity Timeout</td> </tr> <tr> <td>Sensor Setup</td> <td>Clean Screen</td> </tr> <tr> <td>Key Click On</td> <td>Alarm Sound On</td> </tr> <tr> <td>Reload Firmware</td> <td>Language</td> </tr> <tr> <td>Passwords</td> <td>Calibrate Touch Panel</td> </tr> </table>	About	Inactivity Timeout	Sensor Setup	Clean Screen	Key Click On	Alarm Sound On	Reload Firmware	Language	Passwords	Calibrate Touch Panel
About	Inactivity Timeout										
Sensor Setup	Clean Screen										
Key Click On	Alarm Sound On										
Reload Firmware	Language										
Passwords	Calibrate Touch Panel										

Lets you edit the touchscreen settings (page 12).

Viewing alarms

To view all alarms in your system, touch:

-  on any screen, or
- **Alarms** on the **System View** screen



On the above screen, you can do one of the following:

- Touch individual boxes on the left side of the screen or touch **Select All** to **Acknowledge** or **Delete** the selected alarms. Acknowledging grays out the alarm but leaves it in the list.
- Touch an alarm's description to see the alarm's details.





NOTE The System Touch can hold up to 100 alarms. When the System Touch reaches 100, the oldest alarm is deleted when a new alarm comes in.

Viewing or creating schedules


To view schedules

- 1 On the **System View** (home) screen, touch **Schedules**.
- 2 Touch the schedule group that you want to see.
- 3 Touch **Schedule**, then:

Select...	To see...
Month View (default view)	Which days in the current month have schedules (indicated by green boxes).  <p>Add Schedule: +</p> <p>Touch day to see schedule(s)</p>
Week View	Which days of the week shown have schedules (indicated by green bars).  <p>Add Schedule: +</p> <p>Touch day to see schedule(s)</p>

NOTE If you see **Schedule editing disabled** at the bottom of the screen instead of **Add Schedule**, scheduling is being done through another application and is disabled for the System Touch.

- 4 Touch a day to see the schedule(s) for that day.
- 5 In the screen below, touch a schedule's name or green bar (not the **Effective Schedule** bar) to edit or delete the schedule. See *To create a schedule for a group of equipment* (page 9) for field descriptions.




NOTES

- The **Effective Schedule** is the combined result of the day's schedule(s).
- You cannot edit a schedule's **Type** (Dated, Weekly, Continuous), its **Priority** (Normal or Override), or whether the schedule is an **ON Schedule** or **Off Schedule**. If you need to change any of these settings, delete the schedule, and then make a new one.

To create a schedule for a group of equipment

You can create up to 4 schedule groups with up to 8 schedule objects in each group.

- 1 On the **System View** (home) screen, touch **Schedules**.
- 2 Touch **Create** to see all controllers in the system whose control program(s) have a BACnet schedule object.



NOTE If the System Touch does not find any schedule objects, scheduling is being done through another application and is disabled for the System Touch.

- 3 Touch the **Group Name** field, and then enter a name for the group.
- 4 Touch the boxes on the left side of the screen for the controllers that you want to include in the schedule group.

NOTE System Touch does not support writing schedules to third-party devices.
- 5 Touch **Save**.
- 6 On the **Schedule Groups** screen, touch the group that you want to schedule.
- 7 Touch **Schedule**.
- 8 Touch the plus sign to the right of **Add Schedule**.
- 9 Touch the **Schedule Name** field, and enter a unique name.
- 10 Select one of the following:
 - **ON Schedule** for an occupied period
 - **OFF Schedule** for an unoccupied period that is to override an ON schedule. For example, a holiday schedule that is to override a weekly schedule.
- 11 Touch the **Type** field, then select one of the following:

Select...	To use the schedule...
Dated	For a specified period of time between a start and end date. For example, 7:00 am to 7:00 pm every day between July 1st and July 22.
Weekly	Every week on the specified days. For example, every Monday through Friday, 8:00 am to 5:00 pm.
Continuous	Continuously between 2 specified dates/times. For example, a non-stop schedule that starts June 1st at 12:00 am and ends August 31st at 11:50 pm.

- 12 ON Schedule only—Select one of the following:
 - **Normal** for a typical occupied period
 - **Override** for a occupied period that is to override an OFF schedule.
- 13 Touch **Next** to define the criteria for the type of schedule you selected in step 11.
- 14 Touch **Save** when finished.

To add multiple periods to a weekly schedule


A weekly schedule can have multiple periods. For example, the first period could be every Monday through Friday, 8:00 am to 5:00 pm. The second period could be every Monday through Wednesday, 6:00 pm to 8:00 pm.

NOTE You can create up to 4 periods for a day, and up to 28 periods in a week.


- 1 Following the instructions above, create a weekly schedule for the first period.
- 2 In the screen below, touch the green bar for the schedule that you want to add a period to.



- 3 In the screen below, touch the schedule's name or green bar (not the **Effective Schedule** bar).




- 4 Touch **Next**.
- 5 Touch **+Period**.
- 6 Set the times and days for the new period. For example, Monday through Wednesday, 6:00 pm to 8:00 pm.
- 7 Touch **Save**. The screen below now shows both periods.



To edit touchscreen settings

To edit touchscreen settings

- 1 On the **System View** screen, touch **Setup > Touchscreen Setup**.



- 2 Touch a button to jump to one of the following screens:

Screen	Description
Home Screen Setup	To show a particular device's Home and Standby screens instead of the System Touch's Home and Standby screens: 1. Touch Home Screen Setup . 2. Select Use Equipment standby/home screen . 3. Select the device whose screens you want to use. 4. Touch Save .
About	Displays information about the touchscreen firmware.
Inactivity Timeout	Lets you define how long the System Touch can have no activity before returning to the Home screen and logging out the user. Set to 0 to deactivate this feature.
Sensor Setup	Lets the installer set up the System Touch's temperature and humidity sensors.
Clean Screen	Displays a one-minute countdown timer so that you can clean fingerprints from the display window without touching something that would affect equipment operation.
Key Click Off/On	Touch Key Click Off to turn off the sound when you touch a field or button. Touch Key Click On to turn on the sound.
Alarm Sound Off/On	For future use.
Reload Firmware	Lets the installer update the firmware through the USB port. See "To update the System Touch's firmware" in the <i>System Touch Installation and Setup Guide</i> .

Screen	Description															
Language	 <p>Language</p> <table border="1"> <tbody> <tr> <td>English</td> <td>Deutsch</td> <td>Português</td> </tr> <tr> <td>简体中文</td> <td>Français</td> <td>Italiano</td> </tr> <tr> <td>한국어</td> <td>Español</td> <td>日本語</td> </tr> <tr> <td>繁體中文</td> <td>Svenska</td> <td></td> </tr> <tr> <td>ไทย</td> <td>Русский</td> <td></td> </tr> </tbody> </table> <p>Cancel Save</p>	English	Deutsch	Português	简体中文	Français	Italiano	한국어	Español	日本語	繁體中文	Svenska		ไทย	Русский	
English	Deutsch	Português														
简体中文	Français	Italiano														
한국어	Español	日本語														
繁體中文	Svenska															
ไทย	Русский															
	<table border="0"> <tbody> <tr> <td>English</td> <td>German</td> <td>Portuguese</td> </tr> <tr> <td>Simplified Chinese</td> <td>French</td> <td>Italian</td> </tr> <tr> <td>Korean</td> <td>Spanish</td> <td>Japanese</td> </tr> <tr> <td>Traditional Chinese</td> <td>Swedish</td> <td></td> </tr> <tr> <td>Thai</td> <td>Russian</td> <td></td> </tr> </tbody> </table>	English	German	Portuguese	Simplified Chinese	French	Italian	Korean	Spanish	Japanese	Traditional Chinese	Swedish		Thai	Russian	
English	German	Portuguese														
Simplified Chinese	French	Italian														
Korean	Spanish	Japanese														
Traditional Chinese	Swedish															
Thai	Russian															
	Lets you select the language to use for the System Touch default screens.															
Passwords	Lets you change the User or Admin password, if allowed.															
Calibrate Touch Panel	Lets you recalibrate the System Touch by touching targets. The device is calibrated in the factory, but time, temperature, or handling could affect the calibration. Recalibrate the screen if you touch it in one location and it responds as if you touched it in another.															

Document revision history

Important changes to this document are listed below. Minor changes such as typographical or formatting errors are not listed.

Date	Topic	Change description	Code*
4/1/16	To edit touchscreen settings	For Alarm Sound Off/On, changed to "For future use."	X-TS-DB-E
9/29/15	To edit touchscreen settings	For Alarm Sound Off/On, removed sentence, "An alarm will generate a sound only if it is set up in ViewBuilder to do so."	X-O-TC-O
7/29/15	System Touch screens	For the System View screen, added that you can touch a controller's button to go to the controller's Equipment Touch screens.	X-TS-OC-E
5/7/15	System Touch screens	<ul style="list-style-type: none"> • Added comments at beginning of topic regarding custom screens and required firmware version. • Added Standby and Home screens • Image for Touchscreen Setup now includes Home Screen Setup 	X-D-CP
	To create a schedule for a group of equipment	<ul style="list-style-type: none"> • Added note in step 4 that System Touch does not support writing schedules to third-party devices. • Added new section, "To add multiple periods to a weekly schedule" 	
	To edit touchscreen settings	<ul style="list-style-type: none"> • Added new image in step 1 and description in step 2 for Home Screen Setup • Added description for Alarm Sound Off/On 	

* For internal use only



United Technologies
turn to the experts

CARRIER CORPORATION ©2016

A member of the United Technologies Corporation family · Stock symbol UTX · Catalog No. 11-808-526-01 · 4/1/2016