



SAFETY DATA SHEET

Prepared by Duro Dyne February 18, 2016

1. <u>CHEMICAL PRODUCT AND COMPANY IDENTIFICATION</u>				
Trade Name:	DURO DYNE DuroSeal Smooth Duct Sealer			
Product Identifier:	EDS-RS1, EDS-RSC			
Item #:	5231, 5233			
Supplier Details:	DURO DYNE CORPORATION			
	81 Spence Street			
	Bay Shore, NY 11706			
Information				
Phone No:	800-899-3876			
Emergency				
Phone No:	800-424-9300 (CHEMTREC)			

2. <u>HAZARD IDENTIFICATIONS</u>

Classification

This chemical does not meet the hazardous criteria set forth by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200). However, this Safety Data Sheet (SDS) contains valuable information critical to the safe handling and proper use of this product. This SDS should be retained and available for employees and other users of this product.

The product contains no substances which at their given concentration, are considered to be hazardous to health

Appearance Gray paste

Physical State Solid Water Based Sealant

Odor Mild

<u>COMPOSITION/INFORMATION ON INGREDIENTS</u>

Chemical Name	CAS No	Weight-%
Calcium Carbonate	1317-65-3	<50
Aqueous Polymer	Proprietary	<35
Benzoate Ester Emulsion Blend	Proprietary	<5
Non-hazardous Ingredients*	Proprietary	<20

*Unlisted ingredients are not considered hazardous under the OSHA Hazard Communication Standard (29 CFR 1910.1200) (Calcium Carbonate) Inhalation of particulates unlikely due to product's physical state

4. FIRST AID MEASURES

General Advice

Provide this SDS to medical personnel for treatment

Eye Contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Seek immediate medical attention/advice.
Skin Contact	Wash with soap and water. Get medical attention if symptoms persist. Remove & wash contaminated clothing.
Inhalation	Remove to fresh air. If breathing is difficult, leave area to obtain fresh air. If breathing remains difficult, get medical attention.
Ingestion	Do not induce vomiting unless directed by medical personnel. If vomiting occurs, lean patient forward to maintain an open air way & prevent aspiration. Get immediate medical attention.

Most important symptoms and effects

Symptoms Prolonged or repeated skin contact may result in dermatitis (red, dry skin). Direct contact with eyes may cause temporary irritation. Exposed individuals may Experience eye tearing, redness and discomfort. Irritating to mouth, throat, and stomach if ingested. May cause gastrointestinal irritation, nausea, diarrhea, and vomiting. Over exposure to vapors during application and curing may mildly irritate respiratory tract and result in coughing and sneezing.

Indication of any immediate medical attention and special treatment needed

Notes to PhysicianProvide general supportive measures and treat symptomatically
Medical Conditions Aggravated By Exposure: Dermatitis or other pre-existing skin
conditions may be aggravated by overexposure to this product.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media Carbon Dioxide (CO2). Dry chemical Water spray (fog). Foam Use extinguishing Measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising From the Chemical Product is non-combustible.

Hazardous Combustion Products Carbon, titanium & iron oxides, depending upon formulation.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Use water spray to keep fire-exposed containers cool.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Wear protective clothing as described in Section 8 of this safety data sheet.

Other InformationSmall Spills: 1 drum or less – Level D Equipment (gloves, chemical resistant apron,
boots & eye protection). Large Spills: Rubber gloves, rubber boots, face shield &
Tyvek suit as a minimum. Minimum level of PPE for releases in which the oxygen
level is < 19.5% or is unknown, should be Level B: triple gloves (rubber gloves &
nitrile gloves over latex gloves), chemical resistant suit, fire-retardant clothing & boots,
hard hat & self-contained breathing apparatus.

For Emergency Responders Restrict access to spill area.

Environmental Precautions Minimize use of water to prevent environmental contamination. Prevent spill or rinse from contaminating storm drains, sewers, soil or groundwater. Do not allow discharge containing this material to enter streams, ponds, estuaries, oceans or other waters unless in accordance w/ requirements of National Pollutant Discharge Elimination System (NPDES) permit & permitting authority has been notified in writing prior to discharge. Do not allow discharge containing this material to enter sewer systems w/o previously notifying local sewage treatment plant authority. For information, contact State Water Board or EPA Regional Office Other: U.S. regulations may require reporting of spills of this material reaching surface waters if sheen is formed.

Methods and material for containment and cleaning up

Methods for ContainmentPrevent further leakage or spillage if safe to do so. Use absorbent material to contain
spill.Methods for Clean-UpSweep up absorbed material and shovel into suitable containers for disposal. Wash area
with soap and water. For waste disposal, see section 13 of the SDS.

7. <u>HANDLING AND STORAGE</u>

Precautions for safe handling

Advice on Safe Handling Avoid breathing vapors. Use only with adequate ventilation. Open windows & doors to ensure fresh air cross-ventilation during application and curing. Wash thoroughly with soap and water after handling. Avoid contact with skin, eyes or clothing. While handling productkeep out of reach of children and pets. Do not eat or drink while handling this material. See section 6 of this SDS for clean up instructions.

Conditions for safe storage, including any incompatibilities

Storage ConditionsKeep tightly closed in a dry and cool place. Close container after each use. Store
Containers away from excessive heat & freezing. Do not store @ temperatures
above 120 ° F. Store away from incompatible materials. Protect from direct
sunlight. To maximize shelf life, store @ temperatures below 26C (80F).Incompatible MaterialsStrong acids.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Guidelines Exposure guidelines / protective equipment are for routine handling and accidental spills

	spills.		
Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Calcium Carbonate 1317-65-3	-	TWA: 15 mg/m3 total dust TWA: 5 mg/m3 respirable fraction (vacated) TWA: 15 mg/m3 total dust (vacated) TWA: 5 mg/m3 respirable fraction	TWA: 10 mg/m3 total dust TWA: 5 mg/m3 respirable dust

Appropriate Engineering Controls

Engineering Controls	Ventilation must be adequate to maintain the ambient workplace atmosphere below the exposure limit(s) outlined in the SDS.
Individual protection meas	sures, such as personal protective equipment
Eye/Face Protection	Use approved safety goggles or safety glasses. If necessary, refer to appropriate regulations & standards.
Skin and Body Protection	Skin: Wear chemical impervious gloves (eg: Nitrile or Neoprene). Use triple gloves for spill response. If necessary, refer to appropriate regulations & standards.
	Body: Use protection appropriate for task (eg: lab coat, coveralls, Tyvek suit). If necessary, refer to OSHA Technical Manual (Sec. VII: Personal Protective Equipment)or appropriate Standards of Canada. Use foot protection, as described in appropriate regulations & standards
Respiratory Protection	If mists or sprays are created, use appropriate respiratory protection. Oxygen Levels below 19.5% considered IDLH by OSHA. In such instances, use full-face piece pressure demands SCBA or a full face piece, supplied air respirator w/auxiliary self-contained air supply.
General Hygiene Considerations	Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State	Solid Water Based Sealant		
Appearance	Gray paste	Odor	Mild
Color	Gray	Odor Threshold	Not determined
Property	Note: The information belo	ow is not intended for	use in preparing

Product specifications

рН	8.0-9.0
Melting Point/Freezing Point	< 0° C / < 32° F
Boiling Point/Boiling Range	~ 98.88-104.44° C / ~210-220° F
Flash Point	> 93.33° C / > 200° F
Evaporation Rate	Not determined
Flammability (Solid, Gas)	Not determined
Upper Flammability Limits	Unknown
Lower Flammability Limit	Unknown
Vapor Pressure	Not established
Vapor Density	Less than air
Specific Gravity	~1.50-2.00 @ 25°C (77 °F)
Water Solubility	Soluble in water
Solubility in other solvents	Not determined
Partition Coefficient	Not determined
Autoignition Temperature	Unknown
Decomposition Temperature	Not determined
Kinematic Viscosity	Not determined
Dynamic Viscosity	Not determined
Explosive Properties	Not determined
Oxidizing Properties	Not determined
Additional Information	%/wt Volatile: < 20%
VOC Content	<1%
VOC Content	<10 g/L

10. STABILITY AND REACTIVITY

<u>Reactivity</u>	Cures upon contact with air.
<u>Chemical Stability</u>	Stable under recommended storage conditions.
<u>Possibility of Hazardous</u> <u>Reactions</u>	None under normal processing
Hazardous Polymerization	Hazardous polymerization does not occur.
Conditions to Avoid	Incompatible Materials Excessive heat or cold
Incompatible Materials	Strong acids
Hazardous Decomposition Produc	<u>ets</u> Thermal decomposition can generate irritating dust, fumes and toxic gases (carbon, titanium, and iron oxides, depending upon formulation).

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure: Product Information

Eye Contact	Eye contact may result in tearing, redness & pain.
Skin Contact	Prolonged and frequent contact may cause redness and irritation. Repeated skin contact may cause dermatitis.
Inhalation	Overexposure to vapors during application & curing may mildly irritate respiratory tract & result in coughing & sneezing.
Ingestion	May cause gastrointestinal irritation, nausea, diarrhea, and vomiting.

Component Information

Chemical Name	Oral LD50	LD50 Dermal LD50	Inhalation LC50
n/a	n/a	n/a	n/a

Information on physical, chemical and toxicological effects

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization	Not known to be human skin or respiratory sensitizers.		
Carcinogenicity	The table below indicates whether each agency has listed any ingredient as a carcinogen. Titanium dioxide is a possible carcinogen when it appears as a respirable dust. Trace residual Formaldehyde present in base emulsion viewed as possible cancer hazard. Silica, crystalline present in small amount in Calcium Carbonate filler: Known carcinogen. Crystalline Silica is considered to be a human carcinogen when in respirable form(dust /powder).		

Chemical Name	ACGIH	INTP	OSHA	

IARC (International Agency for Research on Cancer) Group 2B - Possibly Carcinogenic to Humans OSHA (Occupational Safety and Health Administration of the US Department of Labor) X - Present

Target organ effectsAcute: Eyes & Skin. Chronic: Skin.

Numerical measures of toxicity Not determined

12. ECOLOGICAL INFORMATION

Ecotoxicity

PRACTICES SHOULD BE AIMED AT ELIMINATING ENVIRONMENTAL CONTAMINATION.

Not tested for aquatic or animal toxicity. Release of product to terrestrial, atmospheric & aquatic environments should be avoided.

Component Information

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea	
Persistence/Degradat	<u>oility</u> Not tested	for persistence & bi	odegradability		
Bioaccumulation	Not tested	for bio-accumulation	n potential		
<u>Mobility</u>	Not tested	Not tested for mobility in soil			
Che	emical Name		Partition Coeff	icient	
Ammonium Hydroxide 7664-41-7			-1.14		
Other Adverse Effect		Environmental Exposure Controls: Should be maintained so as to prevent release to the environment (atmospheric release, release to waterways & spills)			
Ozone	Not expec	Not expected to produce any ozone depletion			

13. DISPOSAL CONSIDERATIONS			
Waste Treatment Methods			
Disposal of Wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.		
Contaminated Packaging	Disposal should be in accordance with applicable regional, national and local laws and regulations.		
US EPA Waste Number	Not Applicable		

14. TRANSPORT INFORMATION

Note	Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.
DOT	Not regulated
IATA	Not regulated
IMDG	Not regulated

15. REGULATORY INFORMATION

International Inventories

TSCA	Listed
DSL	Listed
NDSL	Listed
Legend:	
TSCA -	United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL	Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS	European Inventory of Existing Chemical Substances/European List of Notified
	Chemical Substances
ENCS	Japan Existing and New Chemical Substances
IECSC	China Inventory of Existing Chemical Substances
KECL	Korean Existing and Evaluated Chemical Substances
PICCS	Philippines Inventory of Chemicals and Chemical Substances

US Federal Regulations

CERCLA

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	RQ Reportable Quantity (RQ)
N/A	N/A	N/A	N/A

SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	No
Fire Hazard	No
Sudden Release of	No
Pressure Hazard	
Reactive Hazard	No

Reactive Hazard

SARA 313

Chemical Name	CAS No	Weight-%	SARA 313- Threshold Values %
N/A	N/A	N/A	N/A

CWA (Clean Water Act)

Component	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
N/A	N/A			Х

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.

Chemical Name	California Proposition 65	

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Calcium Carbonate 1317-65-3	Х	X	Х

16. OTHER INFORMATION

NFPA	Health Hazards	Flammability	Instability	Special Hazards
	1	1	0	Not determined
HMIS	Health Hazards	Flammability	Physical Hazards	Personal Protection
	1	1	0	Not determined

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.