

# CARRIER ROOM AIR PURIFIER

Carrier

**User Manual** 

# Features of the Carrier Air Purifier

18-Stage Fan Speeds	Control speed of air flow through the filter by utilizing 18 different fan speeds.
Three Stage Filtration	Pre-filter removes larger pollutants; high efficiency filter removes fine particles; and the Activated Carbon filter removes odors, gases, and VOCs not removed by the high efficiency filter.
Auto Mode	The air purifier automatically adjusts the fan speed based on the current air quality, as detected by its on-board sensor.
Safety Lock Function	You can set safety lock function so that children cannot operate the unit.

Note Functions and specifications may differ depending on the model.

## **Table of Contents**

Before Using	Safety Precautions Preparation Before Use	3 5
How to Operate	Product Description Product Operation Indoor Air Quality Care and Maintenence	7 11 14 15
Things You Should Know	Troubleshooting Customer Support Warranty Legal Notice	17 18 19 20

Read these instructions thoroughly for the safety of users and to prevent property damage.

#### Indication Description



Indicates that there is a possibility of death or serious injury in case of violation of the instructions.

Indicates that there is a possibility of injury or material damage in case of violation of the instructions.

#### Power Supply



05

This appliance has a polarized plug (one blade is wider than the other). To reduce the risk of electric shock, this plug is intended to fit in a polarized outlet only one way. If the plug does not fit fully in the outlet, reverse the plug. If it still does not fit in the outlet, contact a qualified electrician. Do not attempt to defeat this safety feature.



Be sure to plug your machine into a 120 V outlet.

- ► Do not turn off the product by unplugging the power plug while in use.
- Contact customer service if the power plug or the power cord is damaged.
- Connect the power plug firmly to the wall outlet and do not use a damaged power plug, a damaged power cord, or loose outlet.

Unplug unit during thunder and lightning. Product can be damaged due to electric shock.

 If the product is not used for long period of time, unplug the unit to prevent unnecessary overheating and to save electricity consumption.

. Note This air purifier is for 120 V only.

Safety Precautions

### **Initial Setup**

#### WARNING

After plugging unit in to the outlet, do not press unit against the wall plug.

- Do not extend the power cord at will.
- Do not use with a power strip as it may cause electric shock or fire.

Leave at least 12 inches (30 cm) between wall and product.

If the air inlet and outlet space is crowded, the air-purifying ability may be limited.

Place on flat surface.



Do not use the product near flammable substances or if there is a gas leak. • **Do not** use the product in places exposed to high humidity, oil, grease, or water. PROHIBITED > **Do not** install the product in direct sunlight or near a heating vent.



#### CAUTION

Avoid installing the product within 3 feet (1 meter) of TV or electronic appliances.

Turn off power immediately if water or other foreign matter enters the product. Dry unit completley before turning on.

Using a dirty pre-filter or no filter will degrade product performance.

If there is a strange sound, burning smell or smoke coming from the product, unplug it immediately and contact customer service.



• **Do not** replace the filter while the product is in use or plugged in. • **Do not** use filters that are not recommended by the manufacturer. PROHIBITED > **Do not** move the product while in use.



#### When Cleaning

CAUTION

Use a soft, dry cloth and gentle cleansers to clean unit.



Do not clean when power is on as it may cause electric shock or malfunction.



· Remove the plastic packaging from the filter before use. **CAUTION** • Keep plastic packaging away from children as it may cause suffocation.

#### How to Remove the Plastic Packaging From the Filter

- An integrated filter is included in new product.
- Be sure to unplug the unit before removing the filter packaging.

2. Note You can not return the filter once the plastic packaging is removed.

Hold the top cover of the product with both hands and pull upwards. Grasp the filter cover hole on the rear and pull it forward.





Remove the plastic packaging from the 3 filter.

 By failing to remove packaging, abnormal sounds will occur and filter will not work properly; and it may cause a fire or other damage to the product.



Push the filter into the top and bottom part of the product with the filter in close contact.





#### Product Specifications



Model Carr		Carrier Room Air Purifier	Carrier Room Air Purifier XL
Pow	ver	120V, 60Hz, 1 phase	
Wi	fi	n/a n/a	
Dimension	WxDxH	13.7 x 13.7 x 26.5 (inch) 350 x 350 x 675 (mm)	13.7 x 13.7 x 31.5 (inch) 350 x 350 x 800 (mm)



Filter Type	Function
① Pre-filter (microfiber net)	Removes large dust particles and pullutants.
② High efficiency filter	Removes 99.95% of particles that are 0.3 microns in size.
③ Carbon filter	Removes odors, gases and VOCs not removed from the H13 filter.

CharacteristicIt is recommended that you replace the filter every 6-12 months.Note• Replacement period may vary depending on the product usage.



#### **Control Panel**



#### **Control Panel Descriptions**

Sleep O	Sleep mode / Timer	$\land$	Turn up the fan speed and time (by 1 hour)
LED	LED ON/OFF & Wi-Fi connection*	Auto	Smart automatic operation
$\sim$	Turn down the fan speed and time (by 1 hour)	Ċ	Power ON/OFF

20- Note \*Wi-Fi not available on Carrier Room Air Purifier or Carrier Room Air Purifier XL.

#### **Normal Operation**

- Press (1) button to turn on.
- The previously selected operation mode will be displayed.
- Press  $\checkmark$   $\land$  button on the control panel to 2
- select your desired fan speed.



- ▶ You can adjust the fan speed from level 1 (F1) to level 18 (F18).
- When the air purifier turns on, the sensor is initialized and the display :0-Note shows [ ] [ during initialization.

#### **Auto Operation**

- Auto Mode allows the system to determine the fan speed 1 depending on the air quality of the room. Press (<sup>1</sup>) button to turn on.
  - The previously selected operation mode will be displayed.



- Press Auto button to select Auto mode. 2
- ► Each time the button is pressed, it switches between Auto Operation and Normal Operation.



#### **Turbo Fan Operation**

- Turbo mode allows the rooms' air to be filtered faster. 1 Press (<sup>1</sup>) button to turn on and select Normal Operation. Set Turbo Fan Operation by pressing the  $\checkmark$   $\land$ 2
- buttons on the control panel simultaneously for 3 seconds.



- **3** If you press V button on the control panel, the fan speed will change to level 18, and Turbo Fan Operation will stop.
  - Even if you change to another operation mode or stop the current operation, you can run Turbo Fan Operation again when returning to normal operation.

#### Sleep Operation

1 Sleep mode allows the system to run normally but the display panel be dark, so as not to disturb your sleep. Press () button to turn on.

Press  $\frac{\text{Sleep}}{\Phi}$  button on the control panel to select the



- 2 Sleep mode.
- **3** Press the  $\checkmark$   $\land$  button on the control panel to select fan speed.
  - You can adjust the fan speed from level 1 (F1) to level 18 (F18).
- If you press the sleep button again during sleep mode, it will operate in the previously selected mode.
  - Sleep mode will be cancelled if the unit is turned off.
  - $\dot{\gamma}_{-}$  During sleep mode, the entire display except for (2) is turned off.
  - Note The fan speed is set to level 1 by default.

#### **Safety Lock Function**

**1** You can set the safety lock function so that children cannot operate the unit.

If you press the  $\frac{\text{LED}}{\text{C}}$  +  $\checkmark$  button for more than 3 seconds while the product is on, the display shows  $\frac{1}{2}$ , and the Safety Lock function is set. If you press a button on the control panel while this function is on,  $\frac{1}{2}$ , will flash on the display 5 times at 1 second intervals.



**2** To cancel this function, press  $\frac{\text{LED}}{\text{R}}$  +  $\checkmark$  button simultaneously for more than 3 seconds.

#### **Mute Function**

Mute : Press and hold the  $\land$  button and the "Auto" button simultaneously for 3 seconds to turn on and off the beep sound.

#### **Auto-Off Function**

- While unit is on, press  $\frac{\text{Sleep}}{2}$  button for more than 3
- seconds.
  - Initially, 1h is displayed.
- **2** Press  $\checkmark$  button on the control panel to
- select the desired time.



**3** After selecting desired run time, press  $\frac{\text{Sleep}}{\Phi}$  button on the control panel for 3 seconds or longer.

 You will hear the beep sound and the timer symbol will be shown on the display.



 If the power is disconnected the scheduled auto-off time will be canceled, and a new auto-off time will need to be set.

ymbol will be shown



**∏\_** 



#### Indoor Air Quality(IAQ) Indicator

- You can check the indoor air quality in real time by using the indoor air quality indicator. This indicator appears as a light around the outer edge of the display monitor.
- The indoor air quality is displayed based on the density of fine particles being sensed by the unit.
- The sensor measures the indoor air quality and the product displays the air quality status by using four different colors.

Air Quality Status

IAQ	Color	Air Quality	Dust Density	VOCs
Level 1	Blue	Good	0-12	Good
Level 2	Green	Normal	13-35	Normal
Level 3	Yellow	Bad	36-55	Bad
Level 4	Red	Very bad	Equal or above 56	Very bad

- $\dot{\mathcal{D}}$  In environments where outdoor air can enter the unit (ex, entrances,
- Note vents, windows, etc.), IAQ may be displayed at a higher, cleaner level.
  IAQ indicator may not react to some particles and its readings may be different from that of other air quality measuring products and instruments.

#### How to Clean the Exterior and Interior



#### **Cleaning the Filter**

- **1** If the filter is very dirty, replace it.
- Filter contamination may vary depending on your environment and the number of hours you have run the air purifier. The timing of filter cleaning may vary accordingly.
- In between filter replacements, clean the pre-filter with a vacuum cleaner or a soft brush.
- Never wash the filter with water.

#### **Replacing the Filter**

- **1** The filter replacement indicator light will turn red when it is time to replace the filter. Replace the filter every 6-12 months. (See page 4 for details on installing filter).
- 2 After replacing the filter, reset the indicator light. Press the Steep + "Auto" button on the control panel for 5 seconds or longer to reset the indicator light.



 $\frac{1}{2}$  Note The life of the filter depends on your environment.

#### **Cleaning the Dust Sensor**

Hold the top cover of the product 1 with both hands and pull it up.



**Care and Maintenance** 

Remove the cover of the dust sensor 3 located on the right side of the product.



Replace the cover of the dust sensor. 5 Replace the filter cover. Replace the top cover of the product with the logo facing the front.

hole	Jer		
Wipe the len sensor with swab. Thoro dry cotton sy	a little wa ughly dry	ter on a	cotton

Grasp the filter cover hole on the rear

and pull it forward.

Filter cover

2



Cotton Swab

## 

Do not wipe sensor parts with harsh cleaning chemicals, such as acetone, alcohol, etc. It may cause damage to the lens.

#### Long Term Storage

- Run the product for 1 hour on a clear 1 day, disconnect the power plug from the outlet, and dry the inside of the product.
- Cover the product and store in a dry
- 2 space out of direct sunlight.

#### Troubleshooting

Symptom	Check	Solution
The product does not turn on when pressing the Power button.	Is there a power outage?	Make sure that the electricity supply is on and try again.
	Is the power plug connected?	Plug in the power plug and try operating again.
	Is the power outlet working?	Attempt to plug product into a different power outlet and turn on.
Filter replacement indicator is still on.	Did you press <u>Sleep</u> + "Auto" button at the same time for more than 5 seconds after replacing the filter?	When replacing the filter, be sure to press the $\frac{\text{Sieep}}{\Phi}$ + "Auto" button for at least 5 seconds until the 'ting' sound is heard.
Product is producing a strange smell.	Check if the dust filter or deodorizing filter smells strange or not.	Replace the filter.
"FAN" flashes on the screen.	Is the "FAN" indicator flashing after unplugging the power plug and plugging it in again after about 10 seconds?	Unplug the power cord and contact customer service.

#### Customer Support

For customer assistance please call 1-888-320-0909, or go to Carrierathome.com for a complete list of Frequently Asked Questions.

For filter replacement, go to carrierathome.com for details

#### Warranty

FOR WARRANTY SERVICE OR REPLACEMENT: Contact Carrier at 1-888-320-0909.

Retain this document for your records. Model Number\_\_\_\_\_\_\_\_Serial Number \_\_\_\_\_\_\_ Date Received

The Carrier Room Air Purifier carries a one year warranty from the date of purchase. See warranty card for additional details.

#### Legal Notice

#### FCC Radiation Exposure Statement

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with a minimum distance of 8 inches (20cm) between yourself and the radiator.

Any changes or modifications not expressly approved by the manufacturer could void the user's authority to operate this equipment.

This equipment complies with IC RSS-102 radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance of 8 inches (20cm) between yourself and the radiator.

Any changes or modifications not expressly approved by the manufacturer could void the user's authority to operate this equipment.

This device complies with Industry Canada licence-exempt RSS standard(s). Operation is subject to the following two conditions : (1) This device may not cause harmful interference and (2) this device must accept any interference received, including interference that may cause undesired operation.

This Class B digital apparatus complies with Canada ICES-003.

#### carrierathome.com 1-888-320-0909

01-811-20534-01



Turn to the experts

**HEALTHYHOMES** 

©2020 Carrier. All rights reserved. Manufacturer reserves the right to discontinue, or change at any time, specifications or designs without notice or without incurring obligations. Third-party trademarks and logos are the property of their

respective owners.